SAKO Cartridges

Sako was founded in 1921, as the armorers of Finland's Voluntary Guards. The name Sako is, in fact, the abbreviation for Suojeluskuntain Ase- ja Konepaja Oy (literally, Weapons and Machine Factory of the Voluntary Guards).
At present Sako consists of three different factories: the machine shop manufactures world-famous hunting and target rifles; the ammunition factory produces cartridges and their components; and the precision investment casting foundry is the only one in our country.
Owned by the huge Nokia concern, one of the largest corporations in Finland, Sako employs approximately 800 people. More than four-fifths of Sako's production is exported, with this exportation directed to over sixty different countries.





cartridges-rifles — cartridges-rifles — cartridges-rifles — cartridges-rifles — cartridges-rifles — cartridges-rifles — cartridges-rifles — cartridges-r

HAMMERHEAD

The jacket and lead core of the Sako Hammerhead bullet are joined together at the base and middle portion by a revolutionary manufacturing process developed by Sako. It is virtually impossible for the jacket and core to separate.

At the point of the bullet, the jacket is quite thin, and is scored with grooves, so that the bullet mushrooms quickly on impact, delivering maximum shock power and opening a large wound channel. At the same time, because of the special Hammerhead construction, the bullet stays together, even upon striking bone, for deep penetration into vital organs.



NEW! AVAILABLE IN THE FOLLOWING BIG-GAME CALIBERS: .270 WIN., 7 mm MAUSER, 7 mm REM.MAG., .308 WIN., 7,62 RUSSIAN, .30-06, .300 WIN.MAG., 8×57 JS AND .338 WIN.MAG.

RIFLE CARTRIDGES

CALIBER		BULLET					VELOCITY									ENERGY						
American designation	Finnish designation	Full jacket	Soft pointed	Hammer-head	Weight		Feet per second				m/s					Foot pounds				kgm		
		No	No		Grains	Grams	Muzzle Vo	100 yds	200 yds	300 yds	Muzzle Vo	25 m	100 m	200 m	300 m	Muzzle Eo	100 yds	200 yds	300 yds	Muzzle Eo	25 m	100 m
.22 Vierling	5,6×35R	101G	102G		40	2,55	2460	1770	1260	935	750	685	525	360	265	535	280	140	78	73	61	36
.22 Hornet	5,6×36R	103G	104G		45	2,90	2280	1780	1380	1080	695	650	530	400	315	520	325	190	120	71	62	41
.220 Russian	5,6×39	109G			42	2,75	3640	2920	2320	1820	1110	1050	870	680	505	1230	780	490	300	170	155	105
.222 Rem	5,7×43–850	105G	106G		50	3,20	2940	2410	1970	1580	895	850	720	570	455	960	645	430	275	130	120	85
222 Rem	5,7×43–930	105G	106G		50	3,20	3200	2660	2170	1750	975	930	800	635	505	1140	785	525	340	155	140	105
.222 Rem Mag	5,7×47	105G	106G		50	3,20	3230	2690	2250	1780	985	940	810	640	515	1150	805	535	350	160	145	110
.223 Rem	(5,56 mm)	107G	108G		55	3,60	3300	2820	2400	2070	1005	960	850	710	595	1330	970	705	525	185	170	135
.22—250		105G	106G		50	3,20	3770	3170	2610	2080	1150	1100	950	765	590	1555	1070	730	460	215	195	145
243 Win	6,16×51	114E			90	5,80	2850	2560	2280	2100	870	840	770	685	625	1620	1310	1040	880	225	210	175
243 Win	6,16×51		112E		90	5,80	3130	2840	2580	2350	955	925	865	770	695	1950	1610	1330	1100	270	250	220
.25—20 Win	6,3×33R	101E	111E		70	4,50	2020	1590	1230	1020	615	580	475	360	295	635	395	235	160	87	77	52
	6,3×53R	101E	111E		70	4,50	2940	2400	1890	1480	895	850	715	550	420	1340	895	555	340	185	165	115
.264 Win Mag			115E		140	9,00	3000	2760	2530	2330	915	890	830	755	695	2790	2370	1990	1690	385	365	315
.270 Win		114B	112B		130	8,50	3140	2790	2440	2130	955	925	835	725	630	2840	2250	1720	1310	395	370	300
.270 Win			111B	211B	155	10,10	2770	2460	2180	1970	840	810	740	650	580	2640	2080	1630	1340	365	340	280
	7×33 Sako	108B	109B		78	5,10	2360	1850	1410	1070	720	680	550	410	305	965	595	345	200	135	120	79

SAKO

BULLET DROP												TRAJECTORY zero = 150 yds								PRESSURE		PACKING			
		inches				cm						Rise or drop								psi	kg/cm²	box	case		
												inches				cm									
200 m	300 m	50 yds	100 yds	200 yds	300 yds	50 m	100 m	150 m	200 m	250 m	300 m	50 yds	100 yds	150 yds	200 yds	50 m	100 m	150 m	200 m			Pcs.	Pcs.	Kilos	Lbs.
17	9	0,8	3,8	19,5	56,0	2,6	12,4	30,8	62,4	111,3	177,5	+2,4	+2,9	±0	—8,1	+6,0	+7,3	±0	—20,5	34100	2400	20	1000	16,0	35
24	15	1,0	4,0	18,6	53,1	2,9	12,7	30,4	58,8	104,4	167,9	+2,2	+2,6	±0	—6,9	+5,6	+6,7	±0	—17,4	35600	2500	20	1000	17,0	38
65	36	0,4	1,7	7,2	19,3	1,1	5,0	12,0	22,3	38,2	61,5	+0,5	+0,9	±0	—2,2	+1,2	+2,2	±0	— 5,5	41200	2900	20	1000	13,0	29
53	34	0,6	2,5	10,5	27,4	1,7	7,6	17,5	32,5	55,2	85,3	+1,0	+1,3	±0	—3,3	+2,5	+3,2	±0	— 8,3	37000	2600	20	1000	13,0	29
66	42	0,5	2,0	8,6	23,3	1,4	6,1	13,4	26,4	46,9	73,3	+0,5	+0,8	±0	—3,0	+1,4	+2,0	±0	— 7,7	39800	2800	20	1000	13,0	29
67	43	0,5	1,9	8,2	22,8	1,4	5,9	13,1	25,9	45,8	71,0	+0,5	+0,8	±0	—3,0	+1,3	+2,0	±0	— 7,6	39800	2800	20	1000	13,0	29
93	65	0,5	1,7	7,7	19,1	1,3	5,4	12,5	24,1	39,9	57,4	+0,5	+0,7	±0	—2,6	+1,2	+1,9	±0	— 6,6	41200	2900	20	1000	13,0	29
95	57	0,4	1,5	6,1	16,4	1,0	4,5	9,7	19,6	33,5	50,0	+0,2	+0,4	±0	—2,3	+0,6	+1,1	±0	— 5,8	42700	3000	20	500	9,5	21
140	115	0,6	2,4	9,6	22,9	1,7	7,3	16,5	29,2	47,4	68,8	+0,8	+1,1	±0	—2,5	+2,1	+2,9	±0	— 6,4	39800	2800	20	500	11,0	24
175	145	0,5	1,9	8,1	18,6	1,4	5,7	13,6	24,3	38,8	56,6	+0,6	+1,0	±0	—2,1	+1,5	+2,5	±0	— 5,3	42700	3000	20	500	11,0	24
30	20	1,4	5,4	24,2	65,5	3,7	16,7	39,8	74,4	131,0	201,3	+3,1	+3,5	±0	—8,1	+7,9	+9,0	±0	—20,5	35600	2500	50	2000	22,0	49
69	40	0,6	2,5	11,0	30,2	1,7	7,6	17,8	34,7	60,8	92,2	+1,0	+1,3	±0	—4,0	+2,6	+3,4	±0	—10,1	35600	2500	20	500	10,0	22
260	220	0,5	1,8	7,7	18,8	1,5	5,5	13,0	23,6	39,1	56,7	+0,5	+0,9	±0	—2,1	+1,2	+2,3	±0	— 5,4	45500	3200	20	500	16,5	36
230	170	0,5	2,0	8,6	21,3	1,4	6,3	14,3	26,5	43,7	65,0	+0,7	+1,0	±0	—2,6	+1,7	+2,4	±0	— 6,6	41200	2900	20	500	14,0	31
220	175	0,7	2,5	10,6	25,8	1,9	7,9	17,6	32,3	53,2	78,5	+0,9	+1,3	±0	—3,1	+2,3	+3,4	±0	— 8,0	41200	2900	20	500	15,0	33
44	24	0,9	3,9	16,6	46,0	2,6	12,1	26,9	52,4	91,0	149,0	+1,8	+2,0	±0	—6,2	+4,7	+5,0	±0	—15,7	38400	2700	20	1300	17,0	38

RIFLE CARTRIDGES

CALIBER		BULLET					VELOCITY									ENERGY							
American designation	Finnish designation	Full jacket	Soft pointed	Hammer-head	Weight		Feet per second				m/s					Foot pounds				kgm			
		No	No		Grains	Grams	Muzzle Vo	100 yds	200 yds	300 yds	Muzzle Vo	25 m	100 m	200 m	300 m	Muzzle Eo	100 yds	200 yds	300 yds	Muzzle Eo	25 m	100 m	
	7×53R	108B	109B		78	5,10	2950	2310	1770	1350	900	850	690	510	390	1510	925	540	315	210	190	125	
	7×53R			210B	155	10,10	2430	2100	1800	1570	740	710	630	535	465	2030	1520	1110	850	280	260	205	
	7×54	108B	109B		78	5,10	2950	2310	1770	1350	900	850	690	510	390	1510	925	540	315	210	190	125	
	7×54			210B	155	10,10	2430	2100	1800	1570	740	710	630	535	465	2030	1520	1110	850	280	260	205	
7 mm Mauser	7×57	108B			78	5,10	2950	2310	1770	1350	900	850	690	510	390	1510	925	540	315	210	190	125	
7 mm Mauser	7×57			210B	155	10,10	2610	2320	2000	1730	800	765	700	600	510	2390	1830	1360	1015	330	300	250	
7 mm Rem Mag			115B		150	9,70	3100	2890	2670	2460	950	930	880	810	740	3150	2720	2315	1970	435	415	375	
7 mm Rem Mag			113B	213B	175	11,40	2890	2530	2230	1970	880	845	760	665	580	3240	2490	1930	1510	450	415	335	
.30—30 Win	7,62×51R		128A		170	11,00	2220	1890	1630	1410	680	645	565	485	410	1860	1350	1000	750	260	235	180	
.308 Win	7,62×51	110A			93	6,00	2870	2350	1870	1410	875	830	695	535	405	1700	1140	720	410	235	210	150	
.308 Win	7,62×51	120A	129A		125	8,00	2920	2620	2350	2080	890	865	790	700	615	2370	1900	1530	1200	325	305	255	
.308 Win	7,62×51		122A		155	10,10	2770	2510	2280	2070	845	825	760	680	615	2640	2170	1790	1470	370	350	295	
.308 Win	7,62×51			226A	180	11,70	2610	2400	2180	1970	795	775	715	650	585	2720	2300	1900	1550	375	360	305	
7,62 Russian	7,62×53R	110A			93	6,00	2870	2350	1870	1410	875	830	695	535	405	1700	1140	720	410	235	210	150	
7,62 Russian	7,62×53R	120A			125	8,00	2920	2620	2350	2080	890	865	790	700	615	2370	1900	1530	1200	325	305	255	
7,62 Russian	7,62×53R		122A		155	10,10	2840	2580	2330	2120	865	845	775	700	630	2770	2290	1870	1550	385	370	310	

SAKO

BULLET DROP												TRAJECTORY zero = 150 yds								PRESSURE		PACKING			
		Inches				cm						Rise or drop								psi	kg/cm²	box	case		
												inches				cm									
200 m	300 m	50 yds	100 yds	200 yds	300 yds	50 m	100 m	150 m	200 m	250 m	300 m	50 yds	100 yds	150 yds	200 yds	50 m	100 m	150 m	200 m			Pcs.	Pcs.	Kilos	Lbs.
68	40	0,6	2,6	11,2	33,2	1,7	7,9	18,2	35,5	64,4	106,8	+1,1	+1,3	±0	—4,1	+2,7	+3,4	±0	—10,4	38400	2700	20	500	10,0	22
145	110	0,8	3,3	13,2	34,8	2,5	10,2	21,8	42,3	71,6	106,7	+1,2	+1,4	±0	—4,9	+3,1	+3,5	±0	—12,4	39800	2800	20	500	13,0	29
68	40	0,6	2,6	11,2	33,2	1,7	7,9	18,2	35,5	64,4	106,8	+1,1	+1,3	±0	—4,1	+2,7	+3,4	±0	—10,4	38400	2700	20	500	10,0	22
145	110	0,8	3,3	13,2	34,8	2,5	10,2	21,8	42,3	71,6	106,7	+1,2	+1,4	±0	—4,9	+3,1	+3,5	±0	—12,4	41200	2900	20	500	13,0	29
68	40	0,6	2,6	11,2	33,2	1,7	7,9	18,2	35,5	64,4	106,8	+1,1	+1,3	±0	—4,1	+2,7	+3,4	±0	—10,4	38400	2700	20	500	12,0	27
185	135	0,7	2,8	12,2	30,0	2,0	8,7	19,3	37,5	62,2	91,0	+1,1	+1,3	±0	—4,3	+2,8	+3,3	±0	—10,9	45500	3200	20	500	15,0	33
315	265	0,5	1,8	7,9	19,1	1,4	5,4	13,1	24,2	39,6	57,2	+0,5	+1,0	±0	—2,3	+1,3	+2,5	±0	— 5,9	45500	3200	20	500	17,0	38
255	195	0,6	2,2	8,8	21,1	1,6	6,4	14,5	27,5	44,4	63,5	+0,8	+1,2	±0	—3,1	+2,0	+3,0	±0	— 7,9	45500	3200	20	500	17,5	39
130	94	0,9	4,1	17,7	45,2	2,7	12,8	30,2	54,8	91,6	138,1	+2,2	+2,6	±0	—5,4	+5,5	+6,5	±0	—13,7	37000	2600	20	500	13,5	30
88	50	0,7	2,5	12,1	32,7	2,1	7,9	20,0	38,0	65,3	104,4	+1,3	+1,8	±0	—4,1	+3,2	+4,6	±0	—10,5	38400	2700	20	500	12,0	27
200	155	0,6	2,3	9,1	22,4	1,8	7,0	15,2	28,7	46,8	68,3	+0,7	+0,9	±0	—3,0	+1,8	+2,3	±0	— 7,6	41200	2900	20	500	13,0	29
240	195	0,7	2,5	10,2	24,7	2,0	7,4	17,0	31,7	51,7	74,2	+0,9	+1,2	±0	—3,2	+2,2	+3,1	±0	— 8,2	41200	2900	20	500	14,0	31
250	205	0,8	2,7	11,2	27,2	2,2	8,6	18,9	35,3	57,1	82,3	+1,0	+1,3	±0	—3,7	+2,6	+3,2	±0	— 9,3	41200	2900	20	500	15,0	33
88	50	0,7	2,5	12,1	32,7	2,1	7,9	20,4	38,0	65,3	104,4	+1,3	+1,8	±0	—4,1	+3,2	+4,6	±0	—10,5	38400	2700	20	500	11,0	24
200	155	0,6	2,3	9,1	22,4	1,8	7,0	15,2	28,7	46,8	68,3	+0,7	+0,9	±0	—3,0	+1,8	+2,3	±0	— 7,6	39800	2800	20	500	12,5	28
250	205	0,6	2,4	9,7	23,2	1,9	7,2	16,2	30,0	48,5	70,1	+0,8	+1,1	±0	—3,0	+2,0	+2,8	±0	— 7,6	41200	2900	20	500	13,0	29

RIFLE CARTRIDGES

CALIBER		BULLET					VELOCITY									ENERGY						
American designation	Finnish designation	Full jacket	Soft pointed	Hammer-head	Weight		Feet per second				m/s					Foot pounds				kgm		
		No	No		Grains	Grams	Muzzle Vo	100 yds	200 yds	300 yds	Muzzle Vo	25 m	100 m	200 m	300 m	Muzzle Eo	100 yds	200 yds	300 yds	Muzzle Eo	25 m	100 m
7,62 Russian	7,62×53R			226A	180	11,70	2610	2400	2180	1970	795	775	720	650	585	2720	2300	1900	1550	375	360	305
.30—06	7,62×63	120A			125	8,00	2920	2620	2350	2080	890	865	790	700	615	2370	1900	1530	1200	325	305	255
.30—06	7,62×63		129A		125	8,00	3030	2740	2460	2200	925	900	825	735	650	2550	2080	1680	1340	350	330	280
.30—06	7,62×63		122A		155	10,10	2920	2660	2400	2170	890	865	800	715	645	2930	2430	1980	1620	410	385	330
.30—06	7,62×63			226A	180	11,70	2710	2490	2300	2100	825	805	755	690	625	2930	2480	2110	1760	405	385	340
.300 Win Mag			122A		155	10,10	3250	2970	2690	2430	990	970	895	800	720	3655	2995	2445	2005	505	485	415
.300 Win Mag				226A	180	11,70	3070	2830	2610	2400	935	915	855	780	720	3760	3145	2680	2260	520	500	435
.303 Br	7,7×56R		130A		180	11,70	2540	2300	2090	1900	775	750	695	625	565	2580	2110	1750	1440	360	335	290
	8,2×53R	102F			127	8,20	2620	2150	1720	1380	800	760	640	500	400	1930	1300	835	535	270	240	170
	8,2×53R			201F	200	13,00	2530	2180	1870	1610	770	740	655	555	470	2840	2110	1550	1150	395	365	285
8×57 JS	8,2×57	102F			127	8,20	2620	2150	1720	1380	800	760	640	500	400	1930	1300	835	535	270	240	170
8×57 JS	8,2×57			201F	200	13,00	2530	2180	1870	1610	770	740	655	555	470	2840	2110	1550	1150	395	365	285
.338 Win Mag				211F	250	16,20	2720	2420	2180	1950	830	805	730	640	570	4125	3180	2590	2070	570	535	440
	9,3×53R		102D		255	16,60	2300	1990	1670	1430	700	670	595	495	415	2990	2240	1490	1160	415	380	300
	9,3×57		102D		255	16,60	2300	1990	1670	1430	700	670	595	495	415	2990	2240	1490	1160	415	380	300

SAKO

		BULLET DROP										TRAJECTORY zero = 150 yds								PRESSURE		PACKING			
		Inches				cm						Rise or drop								psi	kg/cm²	box	case		
												inches				cm									
200 m	300 m	50 yds	100 yds	200 yds	300 yds	50 m	100 m	150 m	200 m	250 m	300 m	50 yds	100 yds	150 yds	200 yds	50 m	100 m	150 m	200 m			Pcs.	Pcs.	Kilos	Lbs.
250	205	0,7	2,7	11,2	27,2	2,0	8,6	18,9	35,3	57,1	82,3	+1,0	+1,3	±0	—3,7	+2,6	+3,2	±0	— 9,3	41200	2900	20	500	15,0	33
200	155	0,5	2,3	9,1	22,4	1,6	7,0	15,2	28,7	46,8	68,3	+0,7	+0,9	±0	—3,0	+1,8	+2,3	±0	— 7,6	38400	2700	20	500	14,0	31
220	170	0,5	2,0	8,4	21,0	1,5	6,4	14,1	26,0	43,3	63,5	+0,6	+0,9	±0	—2,5	+1,5	+2,2	±0	— 6,4	41200	2900	20	500	14,0	31
265	215	0,5	2,2	9,1	21,8	1,6	6,9	15,3	28,1	45,7	65,8	+0,7	+1,0	±0	—2,7	+1,8	+2,5	±0	— 6,9	41200	2900	20	500	15,0	33
285	235	0,7	2,5	10,6	25,0	1,9	7,9	17,2	32,0	52,1	75,8	+0,9	+1,1	±0	—3,2	+2,2	+2,7	±0	— 8,2	41200	2900	20	500	16,0	35
330	265	0,4	1,8	7,3	16,5	1,3	5,3	12,2	22,1	34,9	49,7	+0,4	+0,8	±0	—2,0	+1,1	+2,0	±0	— 5,0	45500	3200	20	500	18,0	40
365	310	0,5	2,0	8,3	19,6	1,5	6,2	14,4	25,5	40,8	58,8	+0,6	+1,0	±0	—2,2	+1,6	+2,6	±0	— 5,5	45500	3200	20	500	18,5	41
235	190	0,7	2,9	11,8	29,3	2,1	9,0	20,2	37,2	61,5	88,5	+1,2	+1,4	±0	—3,7	+3,0	+3,6	±0	— 9,4	37000	2600	20	500	15,0	33
105	67	0,7	3,0	14,0	35,2	2,1	9,2	20,5	44,2	72,8	105,7	+1,2	+1,4	±0	—6,3	+3,1	+3,6	±0	—16,0	39800	2800	20	500	12,0	27
205	145	0,8	3,1	13,4	33,5	2,2	9,4	20,0	42,4	70,6	101,5	+1,1	+1,2	±0	—5,9	+2,8	+3,1	±0	—14,9	39800	2800	20	500	15,0	33
105	67	0,7	3,0	14,0	35,2	2,1	9,2	20,5	44,2	72,8	105,7	+1,2	+1,4	±0	—6,3	+3,1	+3,6	±0	—16,0	39800	2800	20	500	12,0	27
205	145	0,8	3,1	13,4	33,5	2,2	9,4	20,0	42,4	70,6	101,5	+1,1	+1,2	±0	—5,9	+2,8	+3,1	±0	—14,9	39800	2800	20	500	15,0	33
340	270	0,7	2,6	10,8	26,8	1,8	8,0	19,5	34,0	55,7	84,1	+1,2	+1,7	±0	—2,8	+3,0	+4,2	±0	— 7,2	45500	3200	20	500	21,0	46
205	145	0,9	3,7	15,8	42,0	2,8	11,4	25,9	49,7	85,9	131,0	+1,6	+2,0	±0	—5,6	+4,2	+5,0	±0	—14,3	39800	2800	20	500	17,0	38
205	145	0,9	3,7	15,8	42,0	2,8	11,4	25,9	49,7	85,9	131,0	+1,6	+2,0	±0	—5,6	+4,2	+5,0	±0	—14,3	39800	2800	20	500	17,0	38

PISTOL AND REVOLVER CARTRIDGES

SAKO

CALIBER		BULLET				Muzzle velocity Vo		Muzzle energy Eo		PRESSURE		Barrel length inches	PACKING			
American designation	Finnish designation	No	Weight		Type								Box	Case		
			Grains	Grams		ft. per sec	m/s	ft. lbs	kpm	psi	kg/cm²		Pcs.	Pcs.	Kilos	Lbs.
25 Automatic	6,35×16 P (6,35 Br.)	103E	50	3,25	Full jacket, roundnose	810	245	73	10	15600	1100	2″	50	3000	17	37
32 Automatic	7,65×17 P (7,65 Br.)	102C	71	4,70	Full jacket, roundnose	1070	325	185	25	17100	1200	5″	50	2000	17	37
.30 Luger	7,65×21 P (7,65 Parab.)	101C	93	6,00	Full jacket, roundnose	1280	390	355	47	35600	2500	4″	50	2000	23	51
.380 Automatic	9 mm Browning Short	111D	95	6,20	Full jacket, roundnose	1020	310	217	30	17100	1200	3 1/2″	50	2000	21	47
9 mm Luger	9×19 P (9 mm Parab.)	101D	115	7,50	Full jacket, roundnose	1050	320	285	39	24200	1700	5″	50	2000	25	55
.32 S & W Long		107F	98	6,50	Lead, Wadcutter	780	235	130	18	11400	800	6″	50	2000	21	46
32 S & W Long		109F	98	6,50	Lead, roundnose	780	235	130	18	11400	800	6″	50	2000	21	46
.357 Mag		110D	158	10,30	Lead, roundnose	1200	365	505	70	28400	2000	7″	50	1500	25	55
.38 Special		108D	148	9,60	Lead, Wadcutter	800	245	210	29	14200	1000	6″	50	2000	31	68
.38 Special		110D	158	10,30	Lead, roundnose	800	245	230	32	14200	1000	6″	50	1500	24	53
.44 Mag		101H	240	15,60	Soft point, hollow point	1480	450	1157	160	28400	2000	8″	50	1000	25	55

TRAJECTORY AND SIGHTING IN

The point of hold at various ranges can be determined by using the range tables provided in the ballistic table. As you can see from the drawing, the path of the bullet rises above the line of sight, passes through it at the point for which the gun is sighted in, and then drops below it.
The range tables are based on a rifle being sighted in to strike the point of aim at 150 metres (165 yards). As an example, if you were shooting a .243, using a Full Jacket 90 grain bullet, the range table tells you that your bullet would be striking the target 2,3 cm (0,9″) high at 50 metres (55 yards). You would therefore aim 2,3 cm (0,9″) low at that distance. At 200 metres (220 yards), to allow for the 6,3 cm (2,5″) drop of the bullet, you would aim 6,3 cm (2,5″) high.



»CARTRIDGE COMPONENTS

Sako cartridge cases and bullets are made of best quality raw materials to meet the international specifications. Ask for them at your dealer!»

Printed in Finland by Hämeen Kirjapaino Oy Tampere 1971

Sako rifles and ammo – every shot on the spot

SAKO FINLAND

Oy Sako Ab 11100 Riihimäki 10, Finland, ☎ 33801, telex 15247, ✉ sako riihimäki